


Maps Based on Data from 2016 HIV Surveillance Report

Rates of Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2015 — United States and 6 Dependent Areas

N = 988,955

Total Rate: 364.3




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).

Rates of American Indian/Alaska Native Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2015 — United States


N = 2,896

Total Rate: 150.8



Note: Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).

Rates of Asian Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2015 — United States




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address). The Asian category includes Asian/Pacific Islander legacy cases.

Rates of Black/African American Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2015 — United States

N = 404,375


Total Rate: 1,238.3



Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).

Rates of Hispanic/Latino Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2015 — United States


N = 213,428 Total Rate: 496.8



Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address). Hispanics/Latinos can be of any race.



Rates of Adults and Adolescents of Multiple Races Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2014 — United States




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).

Rates of Native Hawaiian/Other Pacific Islander Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2015 — United States


N = 888

Total Rate: 197.1




Note.. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).

Rates of White Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2015 — United States




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).

Rates of Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2015— United States and 6 Dependent Areas




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).

Rates of American Indian/Alaska Native Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2014 — United States




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).

Rates of Asian Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2015 — United States




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).
The Asian category includes Asian/Pacific Islander legacy cases.

Rates of Black/African American Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2015 — United States




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).

Rates of Hispanic/Latino Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2015 — United States




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address). Hispanics/Latinos can be of any race.

Rates of Adults and Adolescent Persons of Multiple Races Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2015 — United States



Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).

Rates of Native Hawaiian/Other Pacific Islander Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2015 — United States




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).

Rates of White Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2015 — United States

N = 155,931

Total Rate: 91.0




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).

Rates of Diagnoses of HIV Infection among Adults and Adolescents, by Area of Residence, 2016 — United States and 6 Dependent Areas

N = 40,202

Total Rate: 14.7




Note. Data for the year 2016 are preliminary and based on 6 months reporting delay.

Rates of Diagnoses of HIV Infection among Children, by Area of Residence, 2016 — United States and 6 Dependent Areas

N = 122

Total Rate: 0.2




Note: Data for the year 2016 are preliminary and based on 6 months reporting delay.

Rates of Diagnosed HIV Infection Classified as Stage 3 (AIDS) among Adults and Adolescents, by Area of Residence, 2016 — United States and 6 Dependent Areas

N = 18,370

Total Rate: 6.7




Note. Data for the year 2016 are preliminary and based on 6 months reporting delay.

Rates of Diagnosed HIV Infection Classified as Stage 3 (AIDS) among Children, by Area of Residence, 2016 — United States and 6 Dependent Areas

N = 39


Total Rate: 0.1



Note. Data for the year 2016 are preliminary and based on 6 months reporting delay.

Stage 3 (AIDS) Classifications among Adults and Adolescents with HIV Infection, by Area of Residence, Cumulative through 2016 — United States and 6 Dependent Areas

N = 1,258,595



Note. Data for the year 2016 are preliminary and based on 6 months reporting delay.